

2906442

https://www.phoenixcontact.com/us/products/2906442

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plug-in fuse (TE5®); nominal current: 3.15 A; tripping behavior: fast-blow (F)

Commercial data

Item number	2906442
Packing unit	10 pc
Minimum order quantity	10 pc
Note	Made to order (non-returnable)
Sales key	C421
Product key	CK21Z1
GTIN	4055626278810
Weight per piece (including packing)	4.5 g
Weight per piece (excluding packing)	4.5 g
Customs tariff number	85361010
Country of origin	PH



2906442

https://www.phoenixcontact.com/us/products/2906442

Technical data

Notes

General	For proper use, the specifications of the installation directive (see
	Downloads) must be observed. For applications or use with third-
	party products, the specifications, and the safety and warning
	party products, the opcomedicate, and the carety and warning
	instructions of the respective third-party manufacturer must also
	be met.
	be met.

Product properties

Product type	Fuse
Number of fuses in the set	10

Electrical properties

Tripping characteristic	fast-blow (F)
Rated voltage	250 V
Nominal current I _N	3.15 A
Fuse	TE5



2906442

https://www.phoenixcontact.com/us/products/2906442

Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/2906442



EAC

Approval ID: RU C-DE.BL08.B.00724



2906442

https://www.phoenixcontact.com/us/products/2906442

Classifications

ECLASS

	ECLASS-12.0	27142008			
	ECLASS-11.0	27142008			
	ECLASS-13.0	27142008			
ETIM					
	ETIM 9.0	EC002298			
UNSPSC					
	UNSPSC 21.0	39121600			

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com